

**Errata for the e-book version of the 2014
Guidelines for Design and Construction of Residential Health, Care, and Support Facilities**

Content Corrections

SECTION	ERROR	CORRECTION
List of Tables	Table A2.2-b	Table A2.2-a
1.1-8.2		Add under Underwriters Laboratories: <u>UL 2560: Standard for Emergency Call Systems for Assisted Living and Independent Living Facilities</u>
4.2-6.5.2.1 (3)(b)	Wireless systems shall comply with UL Standard 1069: Hospital Signaling and Nurse Call Equipment.	...comply with <u>UL Standard 2560: Emergency Call Systems for Assisted Living and Independent Living Facilities.</u>
A4.3-6.5.2.2-b	Use of a wireless communication system should be permitted and, if provided, should comply with UL Standard 1069: Hospital Signaling and Nurse Call Equipment.	...comply with <u>UL Standard 2560: Emergency Call Systems for Assisted Living and Independent Living Facilities.</u>

Cross-Reference Corrections

SECTION	WRONG REF	CORRECT REF
5.4-5.2.2.10	. . . with the exception of sections 2.5-2.2.10.3 and 2.5-2.2.10.4 —for requirements.	. . . with the exception of sections <u>2.4-2.2.10.3</u> and <u>2.4-2.2.10.4</u> —for requirements.